

# Purchase Order Receipt Listing

Monday, October 31, 2016 8:59:10 AM

All amounts are calculated in domestic currency.

All Vendors PO ID PO34078 All Receipt Dates All Line Item Types  
All Item ID/GL/WOs All Rec. Employees All Currencies  
Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
Vendor ID/Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
PO34078	1		M303R0.750 f		11/2/2016	10/31/2016	48.0000	\$2.89	0.0000	0	\$138.84
CAD	No		303 Round Bar 0.750 f m135987		48.0000	PLOU01		\$138.84	0.0000	0	
	2		M6061T6B0.500X12. f 000		11/2/2016	10/31/2016	12.0000	\$12.42	0.0000	0	\$149.05
	No		6061-T6 Bar .500 x 12.00		12.0000	PLOU01		\$149.05	0.0000	0	
			m135987								
	3		M6061T6B00750X00 f .125		11/2/2016	10/31/2016	60.0000	\$0.80	0.0000	0	\$48.03
	No		6061-T6 Bar .750 x f .125		60.0000	PLOU01		\$48.03	0.0000	0	
			m135987								
	4		M6061T6B1.500X01. f 250		11/2/2016	10/31/2016	12.0000	\$3.80	0.0000	0	\$45.59
	No		6061-T6 Bar 1.50 x f 1.25		12.0000	PLOU01		\$45.59	0.0000	0	
			m135987								
	5		M6061T6R0.375 f		11/2/2016	10/31/2016	12.0000	\$3.18	0.0000	0	\$38.12
	No		6061-T6 Round Bar .375"		12.0000	PLOU01		\$38.12	0.0000	0	
			m135987								
	6		M6061T6R1.250 f		11/2/2016	10/31/2016	12.0000	\$3.18	0.0000	0	\$38.12
	No		6061-T6 Round Bar 1.250		12.0000	PLOU01		\$38.12	0.0000	0	
			m135987								
	7		71401-45		11/2/2016	10/31/2016	1.0000	\$0.00	0.0000	0	\$0.00
	No		PROCUREMENT QUALITY CLAUSES		1.0000	PLOU01		\$0.00	0.0000	0	
			m135987								

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
<div> <div>Total Received Quantity:</div> <div>Total Qty to Inspect (PO U/M):</div> <div>Total Reject Quantity:</div> <div>Total Receipt Value:</div> <div>Total Balance Due Quantity:</div> </div>											157.0000 0.0000 0.0000 \$457.75 0.0000

## B I L L O F L A D I N G

No: PEC 15452

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 28Oct16 at 13:14 From PFW  
Probill  
Via VIM DELIVERY  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE  
1270 ABERDEEN ST  
HAWKESBURY, ON K6A 1K7

Ship To: ( 1)  
DART AEROSPACE  
1270 ABERDEEN ST  
HAWKESBURY, ON K6A 1K7  
Tel: 613-632-9577 Fax: 613-632-1053

## B I L L O F L A D I N G

1) Our Order PEC-982518- 1 Your PO # 34078  
STAINLESS STEEL ROUND BAR 303 STAINLESS  
.750" DIA X 144.0000"

Heat Number  
100D

Tag No  
584307

Quantity  
48 FT

PCS  
4

Wt LBS  
73

2) Our Order PEC-982518- 2 Your PO # 34078  
ALUMINUM FLT BAR ECONOPLT 6061-T6511  
.500" X 12.00" X 144.0000"

Heat Number  
Z00108143 0-89

Tag No  
584308

Quantity  
12 FT

PCS  
1

Wt LBS  
83

3) Our Order PEC-982518- 3 Your PO # 34078  
ALUMINUM FLAT BAR 6061-T6511  
.125" X .750" X 240.0000"

Heat Number  
423608-1

Tag No  
584309

Quantity  
60 FT

PCS  
3

Wt LBS  
7

4) Our Order PEC-982518- 4 Your PO # 34078  
ALUMINUM FLAT BAR 6061-T6511  
1.250" x 1.50" X 144.0000"

Heat Number  
201617588

Tag No  
584310

Quantity  
12 FT

PCS  
1

Wt LBS  
26

5) Our Order PEC-982518- 5 Your PO # 34078  
ALUMINUM ROUND BAR 6061-T6511  
.375" DIA X 144.0000"

Heat Number  
596952

Tag No  
584311

Quantity  
12 FT

PCS  
1

Wt LBS  
2

Page: 1 ....Continued

MTR'S SENT

MTR'S SENT

MTR'S SENT

MTR'S SENT

MTR'S SENT

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

B I L L O F L A D I N G  
Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 905-738-9033

No: PEC 15452  
Ship Date 28Oct16 at 13:14 From PFW  
Probill  
Via VIM DELIVERY  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

B I L L O F L A D I N G

6) Our Order PEC-982518- 6 Your PO # 34078

ALUMINUM ROUND BAR 6061-T6511  
1.250" DIA X 144.0000"

Heat Number  
201613086

Tag No  
584312

Quantity  
12 FT

PCS  
1

Wt LBS  
17

TOTAL: Tags 6 PCS 11 LBS 208

Heat Number  
100D  
201613086  
201617588  
423608-1  
596952  
Z00108143

\*\*\* Chemical Analysis \*\*\*

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT  
WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR  
TO SHIPPING.

ATTN: CHANTAL/LINDA

\*\* ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER \*\*  
\*\* REFERENCED ON IT \*\*

TOTAL 2 BDLS 228 LBS

\*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA  
CONCORD, ONT.\* \*\*\* 9:00 AM TO 4:00 PM \*\*\*  
\*\*\*\* TEL. 800-926-2600 \*\*\*\*  
\*\*\*\*\*

Page: 2 ....Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.  
ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY  
RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

## B I L L O F L A D I N G

No: PEC 15452

Ship From:  
THYSSENKRUPP MATERIALS NA  
2821 LANGSTAFF ROAD  
CONCORD, ONTARIO L4K 5C6  
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 28Oct16 at 13:14 From PFW  
Probill  
Via VIM DELIVERY  
FOB CONCORD  
Frt PREPAID  
Route 0- 0 Manifest  
Vhcle Trailer  
Slp STAN IVERS (905-532-1350)  
Sold To: ( 20115)  
DART AEROSPACE

Ship To: ( 1)  
DART AEROSPACE

## B I L L O F L A D I N G

\* WE STOCK STAINLESS STEEL \*  
\* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT \*  
\*\*\*\*\*  
\*\*\*PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE  
ADDED TO EVERY ORDER.\*\*\*  
\*\*\*\*\*  
\*\*\*UNE SURCHARGE D'ENERGIE DE \$25.00  
SERA AJOUTEE A CHAQUE COMMANDE.\*\*\*  
\*\*\*POUR VOS BESOINS D'ACIER INOXYDABLE,  
\*CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600\*

Page: 3 .... Last

ALUMINIUM - LATON - CUIVRE - PLAQUE - ACIER INOX  
ALUMINIUM - BRASS - COPPER - PLASTICS - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE  
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.  
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

# THYSSENKRUPP MATERIALS NA

PO/Rel 34078

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-015452-001

28Oct16  
Pg 1/1

STAINLESS STEEL ROUND BAR 303 STAINLESS  
750" DIA X 144.0000"

PART NO



North American Stainless Canada Inc.  
740 Imperial Road North  
Guelph, ON N1K1Z3  
Canada

### METALLURGICAL TEST REPORT

6870 Highway 42 East  
Chenil, KY 41045-9615  
(502) 347-6000

Certificate: 216009 3 Mail To:  
Customer: 007206 001 THYSSENKRUPP MATERIALS  
CONCORD, ON L4R5C6

Ship To:  
THYSSENKRUPP MATERIALS  
2821 LANGSTAFF ROAD  
CONCORD, ON L4R5C6

Date: 9/07/2016 Page: 1  
Steel: 303  
Finish: CD

Your Order: PEC277672

NAS Order: IN 0236677 01

Corrosion:

#### PRODUCT DESCRIPTION:

Round Bar, Annealed, Cold Draw  
UNS 30300, ASTM A583/12 EN 10204 3.1, ASTM A484/15  
AMS 5640V TYPE 1, Q&S-7648 CONDITION A  
SOLUTION ANNEAL TEMP 1900F MIN

#### REMARKS:

COMPLIES W/REQUIREMENTS OF DPMR 252.225-7009 EU DIRECTIVE  
2011/65/EU, ROHS, EAF+AD+CC. NO WEIRD REPAIR. MELTED AND MFG  
IN USA FREE FROM MERCURY AND LOW MELTING ALLOY COMBINATION

*and 16/11/13*

Product Id	Skld #	Diameter	Size	Weight	Length	Mark	Pieces	Commodity	Code
BI1735 6		7.500		780	144.00	1	1		

#### CHEMICAL ANALYSIS

CM(Country of Melt) ES(Spain) US(United States) ZA(South Africa) JP(Japan)

Lab Accreditation Bureau, ISO/IEC 17025, Certificate# E2323  
Chemical Analysis per ASTM A751/14a

HEAT	CM	C %	CO %	CR %	CU %	FE %	MO %	N %	NI %	P %
180D	US	.0328	.1455	17.1285	.3270	1.8445	.3050	.0345	8.6060	.0275

S %	SI %
.3108	.5520

#### MECHANICAL PROPERTIES

Product Id	1 d o l c r	HB No.	.2YS KSI	UTS KSI	RA %	Elong % 4D
BI1735 6	RL	230.0	81.18	104.43	39.68	26.52

NAS hereby certifies that the analysis on this certification is correct. Based upon the results and the accuracy of the test methods used, the material meets the specifications stated. These results relate only to the items tested and this report cannot be reproduced, except in its entirety, without the written approval of NAS.

Technical  
Dept. Mgr.

*[Signature]*

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLT BAR ECONOPLT 6061-T6511  
 .500" X 12.00" X 144.0000"  
 PART NO.

PO/Rel 34078

We certify that this is a true copy of the report  
 furnished by the producer of the metal, or data  
 resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-015452-002

28Oct16

Signed by: 

Pg 1/1

**KAISER**  
**ALUMINUM**  
**FABRICATED PRODUCTS**

*Best in Class*

### CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

KAISER ALUMINUM  
 FABRICATED PRODUCTS, LLC  
 5205 KAISER DRIVE  
 KALAMAZOO, MI 49048

CUSTOMER PO NUMBER: PEC-277878-8		CUSTOMER PART NUMBER: W61/STK		PRODUCT DESCRIPTION: .500 X 12.000 PRECISION WIDE BAR	
KAISER ORDER NUMBER: 6016663	LINE ITEM: 008	SHIP DATE: 09/23/2016	KAISER LOT NUMBER: Z00108143	ALLOY: 6061	TEMPER: T6511
WEIGHT SHIPPED: 1524.000 LB	QUANTITY: 18.000 PCS	B/L NUMBER: 616941	DIAM/DAF/THKNS: 	WIDTH: 	LENGTH: 12.000 FT
SHIP TO:  THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA			SOLD TO:  THYSSENKRUPP CANADA 2821 LANGSTAFF ROAD CONCORD, ON L4K 5C6 CANADA		

### Actual Physical Properties

REFERENCE	DASH#	SAMPLE#	UTS (KSI)	YTS (KSI)	ELONG%	HARDNESS	CONDUCT.	BEND
Z00108143	0001	0001	43.7	39.7	12.0	RE 92	N/A	N/A
Z00108143	0001	0002	43.7	39.9	12.6	RE 91	N/A	N/A
Z00108143	0001	0003	44.0	40.0	11.8	RE 92	N/A	N/A

### Chemical Composition (wt%), Aluminum Remainder

LIMITS	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Pb	Bi	Zr	Ea	Tot
Maximum	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15	NA	NA	NA	0.05	0.15
Minimum	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	NA	NA	NA	0.00	0.00
106522	.60	.25	.21	.09	.85	.08	.05	.02	.00	.00	.00	.01	.04

### Applicable Requirements:

ASTM-B221-14 STENCILED (ASME-SB221 2009 SECT II AMS-QQ-A-200/BA UNS#A96C61 (T6511 also conforms to T6-not applicable to other tempers)

### Miscellaneous Notes

MANUFACTURED IN USA MELTED IN USA  
 MERCURY IS NOT A NORMAL BACKGROUND ELEMENT IN ALUMINUM ALLOYS. NEITHER MERCURY NOR ANY OF ITS COMPOUNDS ARE UTILIZED BY KAISER ALUMINUM IN THE MANUFACTURE OF THIS MATERIAL.

### CERTIFICATION

Kaiser Aluminum Fabricated Products, LLC hereby certifies that metal shipped under this order has been inspected and tested and found in conformance with applicable specifications forming a part of the description set forth in Kaiser's sales acknowledgement form. Any warranty is limited to that shown on Kaiser's general terms and conditions of sale. Test reports are on file, subject to examination.

Aimee L. Macnowski, Quality & Technology Manager

*Aimee L. Macnowski*

Plant Serial: 00251948

Kaiser Order Number: 6016663

Line Item: 008



# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM FLAT BAR 6061-T6511

.125" x .750" X 240.0000"

PART NO.

PO/Rel 34078

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-015452-003

28Oct16

Signed by: 

Pg 1/1

### CAN ART

ALUMINUM EXTRUSION INC.

## Material Test Report

Manifest: 307820

Ship To: ThyssenKrupp Materials NA

2821 Langstaff Road

Concord, ON L4K 5C6

Ticket:

5473041 : 5473042

Our Order: 423608 - 1

Cust P.O.: 274331

Die: ES05485

Part: 05485-000-240

Alloy Temper: 6061 T6511

Description: .125 x .750

Print Date: 4/25/16

### Chemical Composition Range

6061	<u>Si</u>	<u>Fe</u>	<u>Cu</u>	<u>Mn</u>	<u>Mg</u>	<u>Cr</u>	<u>Zn</u>	<u>Ti</u>	<u>OtherEach</u>	<u>OtherTotal</u>
Min	0.40		0.15		0.8	0.04				
Max	0.8	0.7	0.40	0.15	1.2	0.35	0.25	0.15	0.05	0.15

### Mechanical Properties

Strength ksi

<u>Sample ID</u>	<u>Cast #</u>	<u>Lot #</u>	<u>Test Date</u>	<u>Ultimate Tensile</u>	<u>Yield 2% offset</u>	<u>Elongation 2" gage length</u>
421927	3B2196	C11	4/20/16	39.05	35.86	8.7


Applicable Specifications: ASTMB221-14 AMS-QQ-A200/8

Country of Origin: 85 Parkshore Drive, Brampton, Ontario CANADA L6T 5M1

Can Art Aluminum Extrusion Inc. certifies that materials shipped under this order have been inspected and tested in accordance with Aluminum Association and agreed upon customer specifications. Can Art assumes no liability for additional costs which may be incurred during the customer's manufacture and sale of its products, and is subject only to the replacement of any materials not within agreed upon specifications provided written notification is received by Can Art within 30 days from the date of shipment.

Siddharth Desai - Tensile Testing

Authorized:



Evan Eng, Quality Assurance Manager



# THYSSENKRUPP MATERIALS NA

**DART AEROSPACE**

ALUMINUM PLAT BAR 6061-T6511  
1.250" x 1.50" x 144.0000"  
PART NO.

PO/Ref 34078

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by: *[Signature]*

**Certificate of Mill Test Results**  
BL PEC-015452-004  
28Oct16  
Pg 1/1



**Can Do.**

**Service Center Metals**  
5850 Quality Way  
Prince George, VA 23875



## CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

OUR ORDER NUMBER	ITEM
274633	6

**BILL TO** ThyssenKrupp Materials NA-Concord, ON  
**SHIP TO** ThyssenKrupp Materials NA-Concord, ON  
**QUANTITY** Certified 1,058 lbs 40 pcs

**MANIFEST NUMBER** 310817  
**CUSTOMER PO** PEC-278189  
**CUSTOMER PART NUMBER** RB0131

**DIE NUMBER** RB0131  
**DATE OF SHIPMENT** 10/13/2016

**ALLOY/TEMPER** 6061-T6511  
**SALES PERSON** D. Schroeder (Canada)

**DESCRIPTION** SCRB 1.250x1.500

**CERTIFICATION** ASTM-B221-14 Stencil/Cont  
**SPECIFICATION** AMS-QQA-200/8 Rev-A

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. This product is RoHS-2, REACH, and DfARS compliant.

### Mechanical Properties

Tests	Lot No.	Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
2	201617588	10/13/16	min 46.80 max 46.90	min 42.80 max 42.90	min 16.35 max 18.40

*Conf. Metal 13*

### Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Others	Melt Source:
1K161006D	201617588	6061	0.72	0.37	0.31	0.10	0.90	0.10	0.03	0.03	97.43	0.05	0.15
													United States of America

SCM products are melted and extruded in the USA

Print Date: 10/13/2016

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511

.375" DIA X 144.0000"

PART NO.

PO/Rel 34078

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

## Certificate of Mill Test Results

BL PEC-015452-005

28Oct16

Signed by: 

Pg 1/1



**LB ALUMINIUM BERHAD**  
(138535-V)




ALUMINIUM EXTRUSION

### TEST CERTIFICATE

CUSTOMER: THYSSENKRUPP MATERIALS NA	SECTION NO.: PE01683MF03660	DATE: Mar-03-2016
SALES ORDER NO: 1619145	WORK ORDER: 596952	ALLOY: 6061-T6511
PRESS NO.: 1101	EXTRUSION DATE: Feb-26-2016	CERTIFICATE NO.: MCERT1602309
CUSTOMER PO NO.: PEC-272700		

Section Sketch:



CHEMICAL COMPOSITION										
Composition	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Analysis Ref.
Min	0.40	0.00	0.15	0.00	0.80	0.04	0.00	0.00	Remainder	79314
Max	0.80	0.70	0.40	0.15	1.20	0.35	0.25	0.15		Feb-20-2016
Actual	0.719	0.200	0.279	0.042	1.049	0.067	0.025	0.011		

MECHANICAL PROPERTIES (Result shown is tested by LBALUM)			
	Tensile Strength N/mm <sup>2</sup>	Yield Stress N/mm <sup>2</sup>	Elongation (%)
Standard	260	240	6
Result	295.71	265.06	16.76

Compliance with ASTM B221M-07

We hereby certify that the material covered by this report has been verified or tested according to the solid standard sampling method or the requirements of any specifications or requirements described herein, and this sample representative of the material met the composition limits and had the mechanical properties shown. Also, note that mercury is not a normal contaminant in aluminum alloys. Neither mercury nor any of its compounds are used in the manufacture of our extrusion. This certificate conforms to 3.1, EN 10204.

\*\* This certificate of Analysis has been produced electronically and is valid without signature \*\*

Lot 11, Jalan Perusahaan 1, Kawasan Perusahaan Beranang, 43700 Beranang, Selangor Darul Ehsan, Malaysia.  
Tel: 603-8723 8822 (15 Lines) Fax: 603-8723 3191 (General), 8723 7272 (Sales), 8727 1218 (Export)  
Enquiry@lbalum.com.my www.lbalum.com

# THYSSENKRUPP MATERIALS NA

DART AEROSPACE

ALUMINUM ROUND BAR 6061-T6511  
1.250" DIA X 144.0000"

PART NO.

PO/Rel 34078

We certify that this is a true copy of the report furnished by the producer of the metal, or data resulting from tests made in approved labs.

Signed by:

Certificate of Mill Test Results  
BL PEC-015452-006  
28Oct16  
Pg 1/1



Service Center Metals

5850 Quality Way  
Prince George, VA 23875

## CERTIFIED INSPECTION REPORT AND TEST RESULTS FOR EXTRUDED PRODUCTS

Can Do.

BILL TO  
ThyssenKrupp Materials NA-Concord, ON  
SHIP TO  
ThyssenKrupp Materials NA-Concord, ON  
Quantity Certified 2,008 lbs 116 pcs

MARKET NUMBER 303998  
CUSTOMER PO PEC-276955  
CUSTOMER PART NUMBER RD0008  
ONE NUMBER RD0008  
DATE OF SHIPMENT 8/10/2016  
ALLOY/TEMPER 6061-T6511  
SALESPERSON D. Schroeder (Canada)  
DESCRIPTION Lightning Rod Title 1.250 + .005/- .002

OUR ORDER NUMBER 269759 ITEM 2

CERTIFICATION  
ASTM-B221-14 Stencil Cont  
SPECIFICATION  
AMS-QQA-200/8 Rev-A

We hereby certify that the material covered by this report has been inspected in accordance with the most recent certification revision, and has been found to meet the applicable requirements described herein, including any specifications forming a part of the description, and that samples representative of the material met the composition limits and had the mechanical properties shown. Items produced and certified as 6061-T6511 also meet the requirements of 6061-T6.

### Mechanical Properties

Tests Lot No.

6 201613086

Test Date	Ultimate Tensile Strength (KSI)	Yield Strength (KSI)	Percent Elongation
8/3/16	min 48.70 max 49.30	min 45.90 max 46.70	min 16.85 max 18.05

inf 16/11/13

### Chemical Composition for Aluminum Alloy 6061

Cast #	Lot No.	Alloy	Si	Fe	Cu	Mn	Mg	Cr	Zn	Ti	Al	Each	Total	Melt Source:
07221602	201613086	6061	0.76	0.38	0.32	0.10	0.91	0.09	0.08	0.02	97.34	0.05	0.15	United States of America

SCM extrusions are manufactured in the USA.

Print Date: 8/10/2016

Calvin L. Wiggins, Director of Quality & Technical Services

Rev 9/23/11 - JMS

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M6061 TL B. 750X.125

PO / BATCH NO.: 34078/135987

DATE: 11/11/03

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .125

QUANTITY RECEIVED: 60'

THICKNESS RECEIVED: .125

QUANTITY INSPECTED: 60'

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	<u>6061 TL B</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	<u>.125</u>
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	<u>ASTM B221</u>
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	<u>HEAT# 423608-1</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	<u>M6061 TL B. 750X.125</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	<u>135987</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.  
RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D	
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>CSJ</u>	SIGNED OFF BY: _____		
DATE: <u>11/11/03</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303 R. 750  
 DATE: 11/6/11/13

PO / BATCH NO.: 34078/135987

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 48'  
 QUANTITY INSPECTED: 48'  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: .750  
 THICKNESS RECEIVED: .750  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	303
CORRECT THICKNESS	<input checked="" type="radio"/> Y	N	.750
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL	<input checked="" type="radio"/> Y	N	ASTM A582
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	N	#541 # 1000
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	N	M303 R. 750
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	N	M135 987
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>[Signature]</u>		SIGNED OFF BY: _____	
DATE: <u>11/6/11/13</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M66LITL B1.500X1.250

PO / BATCH NO.: 34078/135987

DATE: 11/11/13

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: 1.250

QUANTITY RECEIVED: 12'

THICKNESS RECEIVED: 1.250

QUANTITY INSPECTED: 12'

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	(N)	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	(N)	
CORRECT MATERIAL	(Y)	(N)	<u>M66LITL</u>
CORRECT THICKNESS	(Y)	(N)	<u>1.250</u>
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	(N)	<u>AMS-QQA-20018</u>
CORRECT REF # TO LINK CERT	(Y)	(N)	<u>HEAT# 201617588</u>
CORRECT MATERIAL IDENTIFICATION	(Y)	(N)	<u>M66LITL B1.500X1.250</u>
CORRECT M# ON THE MATERIAL	(Y)	(N)	<u>M135987</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK.  
RECORD RESULTS BELOW

TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

<b>QC 18 INSPECTION</b>		<b>ENGINEERING SIGNOFF (If required)</b>	
INSPECTED BY: <u>[Signature]</u> DATE: <u>11/11/13</u>	SIGNED OFF BY: _____ DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: McCLUTCH R.375

PO / BATCH NO.: 34078/135987

DATE: 11/11/13

MATERIAL CERT REC'D: yes

THICKNESS ORDERED: .385

QUANTITY RECEIVED: 12

THICKNESS RECEIVED: .380

QUANTITY INSPECTED: 12

SHEET SIZE ORDERED: \_\_\_\_\_

QUANTITY REJECTED: \_\_\_\_\_

SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	<u>McCLUTCH</u>
CORRECT THICKNESS	(Y)	N	<u>.380</u>
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	<u>ASTM A222</u>
CORRECT REF # TO LINK CERT	(Y)	N	<u>HEAT # 5910952</u>
CORRECT MATERIAL IDENTIFICATION	(Y)	N	<u>McCLUTCH R.375</u>
CORRECT M# ON THE MATERIAL	(Y)	N	<u>135987</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

<b>QC 18 INSPECTION</b>	<b>ENGINEERING SIGNOFF (if required)</b>
INSPECTED BY: <u>[Signature]</u>	SIGNED OFF BY: _____
DATE: <u>11/11/13</u>	DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: ML061TL6 R1.250  
 DATE: 11/11/13

PO / BATCH NO.: 34078/135987

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12'  
 QUANTITY INSPECTED: 12'  
 QUANTITY REJECTED: \_\_\_\_\_

THICKNESS ORDERED: 1.250  
 THICKNESS RECEIVED: 1.250  
 SHEET SIZE ORDERED: \_\_\_\_\_  
 SHEET SIZE RECEIVED: \_\_\_\_\_

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y <input checked="" type="checkbox"/> N	
CORRECT FINISH	<input checked="" type="checkbox"/> Y N	
CORROSION	Y <input checked="" type="checkbox"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/> Y N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>ML061TL6</u>
CORRECT THICKNESS	<input checked="" type="checkbox"/> Y N	<u>1.250</u>
PHOTO REQUIRED	Y <input checked="" type="checkbox"/> N	
CORRECT MATERIAL	<input checked="" type="checkbox"/> Y N	<u>ASTM-B221</u>
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/> Y N	<u>HEAT # 201613086</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/> Y N	<u>ML061TL6 R1.250</u>
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/> Y N	<u>M135987</u>
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y <input checked="" type="checkbox"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y <input checked="" type="checkbox"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>[Signature]</u> DATE: <u>11/11/13</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

## MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 4606T63.500x12.00

PO / BATCH NO.: P034073/M135937

DATE: 16-11-14

MATERIAL CERT REC'D: yes  
 QUANTITY RECEIVED: 12'  
 QUANTITY INSPECTED: 12'  
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .500  
 THICKNESS RECEIVED: .500" - .435"  
 SHEET SIZE ORDERED: N/A  
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	(N)	
CORRECT FINISH	(Y)	N	
CORROSION	Y	(N)	
CORRECT GRAIN DIRECTION	(Y)	N	
CORRECT MATERIAL	(Y)	N	
CORRECT THICKNESS	(Y)	N	
PHOTO REQUIRED	Y	(N)	
CORRECT MATERIAL	(Y)	N	AMS-QQ-A-200
CORRECT REF # TO LINK CERT	(Y)	N	200103143
CORRECT MATERIAL IDENTIFICATION	(Y)	N	
CORRECT M# ON THE MATERIAL	(Y)	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	(N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING	HRC	HRB	DUR A	DUR D	

testers located in the Quality Office

<b>QC 18 INSPECTION</b>	<b>ENGINEERING SIGNOFF (if required)</b>
INSPECTED BY: <u>9-89</u> DATE: <u>16-11-14</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34078**

Purchase Order Date 10/27/2016

PO Print Date 10/27/2016

Page Number 1 of 4

**Order From :** VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"  
TORONTO, ON M5W 5V8  
CA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

OCT 27 2016

E-MAILED

<b>Contact Name</b>		<b>Buyer</b>	Chantal Lavoie
<b>Vendor Phone</b>	905 669 9444	<b>Customer POID</b>	
<b>Ship To Contact</b>		<b>Customer Tax #</b>	10127-2607
<b>Ship To Phone</b>		<b>Terms</b>	Net 30
<b>Ship Via:</b>	VENDOR'S TRUCK	<b>Currency</b>	CAD
<b>Ship Acct:</b>		<b>FOB</b>	FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M303R0.750	303 Round Bar 0.750	11/2/2016 Yes 11/2/2016		48.00 f	\$3.79	\$182.11

MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582

NOTE: AISI 304/316 NOT ACCEPTABLE

Line Total: \$182.11

2	M6061T6B0.500X12.000	6061-T6 Bar .500 x 12.00	11/2/2016 Yes 11/2/2016		12.00 f	\$16.29	\$195.50
---	----------------------	--------------------------	-------------------------------	--	------------	---------	----------

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

Line Total: \$195.50

PO Instructions: QUOTE NO PEC ST-981013

Note:

10/27/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34078**

Purchase Order Date 10/27/2016

PO Print Date 10/27/2016

Page Number 2 of 4

**Order From :** VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**

**Vendor Phone** 905 669 9444

**Ship To Contact**

**Ship To Phone**

**Ship Via:** VENDOR'S TRUCK

**Ship Acct:**

**Buyer**

**Customer POID**

**Customer Tax #** 10127-2607

**Terms** Net 30

**Currency** CAD

**FOB**

Chantal Lavoie

FCA - (Free Carrier)

3	M6061T6B00750X00.125	6061-T6 Bar .750 x .125	11/2/2016 Yes 11/2/2016	60.00 f	\$1.05	\$63.00
---	----------------------	-------------------------	-------------------------------	------------	--------	---------

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

**Line Total:** \$63.00

4	M6061T6B1.500X01.250	6061-T6 Bar 1.50 x 1.25	11/2/2016 Yes 11/2/2016	12.00 f	\$4.98	\$59.80
---	----------------------	-------------------------	-------------------------------	------------	--------	---------

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

**Line Total:** \$59.80

5	M6061T6R0.375	6061-T6 Round Bar .375"	11/2/2016 Yes 11/2/2016	12.00 f	\$4.17	\$50.00
---	---------------	-------------------------	-------------------------------	------------	--------	---------

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM ROUND BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

**PO Instructions:** QUOTE NO PEC ST-981013

**Note:**

10/27/2016

20161031



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34078**

Purchase Order Date 10/27/2016

PO Print Date 10/27/2016

Page Number 3 of 4

**Order From :** VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

**Ship To :** DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

**Contact Name**  
**Vendor Phone** 905 669 9444  
  
**Ship To Contact**  
**Ship To Phone**  
**Ship Via:** VENDOR'S TRUCK  
**Ship Acct:**

**Buyer** Chantal Lavoie  
**Customer POID**  
**Customer Tax #** 10127-2607  
**Terms** Net 30  
**Currency** CAD  
**FOB** FCA - (Free Carrier)

6	M6061T6R1.250	6061-T6 Round Bar 1.250	11/2/2016 Yes 11/2/2016	12.00 f	Line Total:	\$50.00	\$50.00
---	---------------	-------------------------	-------------------------------	------------	-------------	---------	---------

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM ROUND BAR  
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116  
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR  
ASTM B221

7	71401-45	PROCUREMENT QUALITY CLAUSES	11/2/2016 No 11/2/2016	1.00	Line Total:	\$0.00	\$0.00
---	----------	--------------------------------	------------------------------	------	-------------	--------	--------

Procurement Quality Clauses  
A005 right of entry  
A012 chemical and physical test report  
A016 personnel qualification  
A017 raw material identification (as applicable)  
A026 certification of material conformance  
A041 quality management system  
A042 dart notification by supplier  
A043 retention of quality documents

*8/16/10-31*

Line Total: \$0.00

PO Instructions: QUOTE NO PEC ST-981013

Note:

10/27/2016



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO34078**

Purchase Order Date 10/27/2016

PO Print Date 10/27/2016

Page Number 4 of 4

Order From : VC-COP001  
THYSSENKRUPP MATERIALS CA LTD  
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"  
TORONTO, ON M5W 5V8  
CA

Ship To : DART AEROSPACE LTD  
1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

Contact Name  
Vendor Phone 905 669 9444  
  
Ship To Contact  
Ship To Phone  
Ship Via: VENDOR'S TRUCK  
Ship Acct:

Buyer Chantal Lavoie  
Customer POID  
Customer Tax # 10127-2607  
Terms Net 30  
Currency CAD  
FOB FCA - (Free Carrier)

PO Total: \$600.41

PO Instructions: QUOTE NO PEC ST-981013

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit [www.dartaerospace.com](http://www.dartaerospace.com) for further explanation.

Change Nbr: 2

Change Date: 10/27/2016